Metzger McGuire SPF™

SDS #: 7001

Motzgor	McGuire	SD
Metzgei	McGuile	3r

Safety Data Sheet

Revision 1.0

Section 1: Identification

 Product name:
 Metzger McGuire SPF*

 Product number:
 n/a

 Recommended use:
 Stain Preventing Film for Epoxy and Polyurea Joint Fillers

 Manufacturer:
 Metzger McGuire

 P.O. Box 2217, Concord, NH 03302 USA

 Phone: +1 800.223.6680
 Email: specmm80@aol.com

 www.metzgermcquire.com

Emergency telephone: 800) 255-3924 24 hrs. (Continental U.S.)

(813) 248-0585 24 hrs. (Outside Continental U.S.)

Section 2: Hazard Identification		
United States	According to OSHA 29 CFR 1910.1200 HCS	
Classification:	Skin Sensitizer: Category 3	
	Eye Irritation: Category 2B	
Label elements:	WARNING	
	(No pictograms required for label)	
Hazard statements:	Causes mild skin irritation – H316	
	Causes eye irritation – H320	
Precautionary statem	nents	
Prevention:	Wear protective gloves/protective clothing/eye protection/face protection. – P280	
Response:	IF ON SKIN: Wash with plenty of soap and water P302 + P352	
	If skin irritation or rash occurs: Get medical advice/attention. – P333 + P313	
	Wash contaminated clothing before reuse. – P363	
Storage/Disposal:	Dispose of contents/container in accordance with applicable local/regional/national regulations. – P501	
Canada	According to WHMIS	
WHMIS	This product is regulated as a hazardous material by the Canadian Controlled Product Regulations and is a controlled product under the Workplace Hazardous Materials Information System.	
Other Information		

Page 1 of 9

HMIS Ratings:	Health: 1 Fire: 1 Physical Hazard: 0
	(Hazard Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe; * = Chronic
hazard)	
Section 3: Composi	tion / Information on Ingredients

Substances Material does not meet the criteria of a substance.

Mixtures

CAS #	Chemical Name	% by weight		
7732-18-5 Water 80 - 90				
25213-24-5 Vinyl acetate-vinyl alcohol polymer 10 – 15				
56-81-5 Glycerin 0 - 3				

The exact percentage of this composition has been withheld as a trade secret.

Section 4: First Aid Measures Description of first aid measures Inhalation: Remove person to fresh air. If you feel unwell, get medical attention. Skin Contact: Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention. Eye Contact: Rinse with water. If signs/symptoms develop, get medical attention. Ingestion: Rinse mouth. If you feel unwell, get medical attention. Most important symptoms and effects, both acute and delayed See section 11 - Toxicological Information. Indication of any immediate medical attention and special treatment required Not applicable. Section 5: Fire-fighting Measures Suitable extinguishing media In case of fire: Use a fire-fighting agent suitable for ordinary combustible material such as water or foam to extinguish. Special hazards arising from the substance or mixture Closed containers exposed to heat from fire may build pressure and explode. Hazardous decomposition or by-products Carbon monoxide During combustion Carbon dioxide During combustion

Issue Date: 2015-May-16

Page 2 of 9

Issue Date: 2015-May-16

Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

NFPA Ratings:

Health: 1 Flammability: 1 Instability: 0 Special Hazards = None

(Hazard Scale: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For a large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice.

Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

Methods and material for containment and cleaning up

Contain spill. Work from around the edges of the spill inward and cover with commercially available inorganic absorbent material. Mix in sufficient absorbent material until it appears dry. Shovel as much of the material as possible into a suitable container. Seal the container and dispose of as soon as possible. Clean up residue with detergent and water.

Section 7: Handling and Storage

Precautions for safe handling

For industrial use only. Avoid contact with skin and eyes. Wash thoroughly after handling. Use with adequate ventilation and avoid breathing vapors or mists of this product. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Keep containers closed and in a cool, well-ventilated area. Protect from sunlight. Store away from heat. Store away from acids and oxidizers. Material is freeze-thaw stable but best practice for any water-borne coating is to protect from freezing whenever possible.

Section 8: Exposure Controls / Personal Protection

Chemical Name

Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear here, an occupational exposure limit is not available for the component.

Agency Limit Type

Revision 1.0

CAS #

Page 3 of 9

Issue Date: 2015-May-16

25213-24-5	Vinyl acetate-vinyl alcohol polymer	CMRG	TWA (as respirable dust): 5mg/m3 TWA (as total dust): 10mg/m3
56-81-5	Glycerin	OSHA	TWA (as total dust): 10mg/m3 TWA (respirable fraction): 5mg/m3
56-81-5	Glycerin	ACGIH	TWA 10mg/m3

Key to abbreviations CMRG = Chemical Manufacturer's Recommended Guidelines; OSHA = Occupational Safety and Health Administration; TWA = Time-Weighted Average based on 8hr/day and 40hr/week exposures

Exposure controls

Engineering controls	Provide adequate ventilation as needed to control concentrations of airborne contaminants
	below applicable exposure limits. If ventilation is not adequate, use respiratory protection
	equipment.

Personal protective equipment

Respiratory	An exposure assessment may be needed to decide if a respirator is required. If needed, use
	respirators as part of a full respiratory protection program. Based on the results of the
	exposure assessment, use either a half-facepiece or full-facepiece air-purifying respirator
	suitable for particulates. Consult respirator manufacturer for suitability for a specific
	application.

- Eye/face protection Safety glasses with eye shields are recommended.
- Skin/hand protection Wear protective gloves with cuffs. Normal work clothing (long sleeves and pants) is recommended.
- General industrial hygiene Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.
- Follow best practice for site management and disposal of waste. Avoid release to Environmental exposure the environment.

Section 9: Physical and Chemical Properties

Basic physical and chemical properties

Physical form:	Liquid	Percent volatile: 88%
Color:	Light amber	VOC: 0.03% wt.; 0.3g/l
C0101:	Light ander	[calculated]
Odor:	Mild	VOC (less H20 & exempts): 3 g/l [calculated]
pH:	5 - 8	Evaporation rate: No data available
Boiling point:	212° F (100° C)	Flammability (solid, gas): Not applicable
Flash point:	>=200° F [Test method: Closed	Flowerschle Limite (LEL). No data available
Cup]		Flammable Limits (LEL): No data available

Revision 1.0

Page 4 of 9

Issue Date: 2015-May-16

SDS #: 7001

Density:	1.03 g/ml	Flammable Limits (U	EL): No data available
Specific gravity:	1.03 [Water = 1]	Vapor pressure:	No data available
Weight per gallon:	8.6 lbs	Vapor density:	No data available
Viscosity:	50 – 200 cps [Brookfield]		
Solubility (H20):	Complete		
Solubility (non-wate	r):No data available		

Section 10: Stability and Reactivity

		ial may be reactive with certain agents under certain conditions – see information in this section.
Chemical stability:	Stable	
Possibility of hazardous read	ctions:	Hazardous polymerization will not occur.
Conditions to avoid:	Heat	
Incompatible materials:		Reactive metals, strong acids, strong oxidizing agents
Hazardous decomposition p prod	roducts: ucts during co	None known. Refer to section 5 for hazardous decomposition mbustion.

Section 11: Toxicological Information

Information on toxicological effects

Signs and symptoms:	Based on component information, this material may produce the following health effects:
Inhalation:	Respiratory tract irritation: signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
Skin contact:	Contact with skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): signs/symptoms may include redness, swelling, blistering, and itching.
Eye contact:	Sprayed material may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
Ingestion:	Gastro-intestinal irritation: signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or

the data are not sufficient for classification.

Acute Toxicity

Chemical Name	Route	Species	Value
Glycerin	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
Glycerin	Ingestion	Rat	LD50 > 5,000 mg/kg
Vinyl acetate-vinyl alcohol	Ingestion	Rat	LD50 > 5,000 mg/kg

Page 5 of 9

Issue Date: 2015-May-16

Metzger McGuire SPF™

1	
nolymer	
polymen	

Skin Corrosion / Irritation

Chemical Name	Species	Value
Glycerin	Rabbit	No significant irritation
Vinyl acetate-vinyl alcohol polymer	Rabbit	Slight irritation

Serious Eye Damage / Irritation

Chemical Name	Species	Value
Glycerin	Rabbit	No significant irritation
Vinyl acetate-vinyl alcohol polymer	Rabbit	Slight irritation

Skin Sensitization

Chemical Name	Species	Value			
Churrentin	Guinea	Not sensitizing			
Glycerin	Pig				
Vinyl acetate-vinyl alcohol polymer	Guinea	Not consisting			
villyl acetate-villyl alcohol polyliel	Pig	Not sensitizing			
Photosensitization Either no data are currently available or the data are not sufficient for classification.					

Respiratory sensitization Either no data are currently available or the data are not sufficient for classification.

Germ cell mutagenicity Either no data are currently available or the data are not sufficient for classification.

Carcinogenicity

Chemical Name	Route	Species	Value
Glycerin	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification.

Reproductive Toxicity

Reproductive and/or developmental effects

Chemical Name	Route	Value	Species	Test Result	Exposure Duration
Glycerin	Ingestion	Not toxic to female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generations
Glycerin	Ingestion	Not toxic to male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generations
Glycerin	Ingestion	Not toxic to development	Rat	NOAEL 2,000 mg/kg/day	2 generations

Target Organ(s)

Specific Target Organ Toxicity - single exposure Either no data are currently available or the data are not sufficient for classification.

Revision 1.0

SDS #: 7001

SDS #: 7001

Specific Target Organ Toxicity - repeated exposure

Chemical Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Glycerin	Ingestion	Respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Ingestion	Heart/liver/kidney and/or bladder	All data are negative	Rat	NOAEL 3.91 mg/l	14 days
Glycerin	Ingestion	Endocrine system/hematopoietic system/liver/kidney and/or bladder	All data are negative	Rat	NOAEL 10,000 mg/kg/day	2 years

Aspiration hazard Either no data are currently available or the data are not sufficient for classification.

Section 12: Ecological Information

Toxicity - Aquatic toxicity of components

Chemical Name	Species	Test	
Glycerin	Oncorhynchus mykiss	96 hr LC50:	50mg/l
Glycerin	Daphnia magna	24 hr EC50:	>500mg/l
Vinyl acetate-vinyl alcohol polymer	Fish (Pimephales promelas)	96 hr LC50:	>40,000 ppm
Vinyl acetate-vinyl alcohol polymer	Fish (Lepomis macrochirus)	96 hr LC50:	>10,000 ppm
Vinyl acetate-vinyl alcohol	Bacteria (Photobacterium	Microtox Method	EC50:
polymer	phosphoreum)		>50,000 ppm

Persistance and degradability

Vinyl acetate-vinyl alcohol polymer has been reported to be substantially biodegraded in several test systems after a lag time for microbial acclimation. Almost 100% degradation of 30-day BOD with an acclimated culture can be reached.

No data available

Mobility in soil No data available

Other adverse effects No data available

Section 13: Disposal Considerations

Disposal methods

Avoid disposal. Completely utilize product, if possible. Dispose unused product and container in accordance with local, regional, national, and international regulations. Incinerate unused product in a permitted waste incineration facility. As a disposal alternative, dispose of waste product in a permitted industrial waste facility.

Metzger McGuire SPF™

EPA Hazardous Waste Number (RCRA): Not regulated

Section 14: Transport Information						
US DOT information: Not regulated as a hazardous material.						
TDG information:	TDG information: Not regulated as a dangerous good.					
IMDG information:	Not regulated as a dangerous good.					
IATA information:	IATA information: Not regulated as a dangerous good.					
Transportation duri	ng cold weather					

This product is freeze-thaw stable and will function properly if it is frozen and then thawed. However, whenever possible, minimize the number of freeze cycles to which the product is exposed during transportation.

Section 15: Regulatory Information

U.S. Federal Regulations

Chemical inventory:	All components of this product are included on the TSCA Chemical Inventory or are not required to be listed on the TSCA Chemical Inventory.					
General information:	No additional information available.					
Component analysis:	1 1	None of the product's components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).				
	Acute health: No Reactive: No	Chronic health: No	Fire: No	Pressure: No		
State Regulations						

State Regulations

General information: Other state regulations may apply. Check individual state requirements.

Component analysis: The following components appear on one or more of the following state hazardous substances lists:

CAS #	Chemical Name	CA	MA	MN	NJ	PA	RI
56-81-5	Glycerin	No	Yes	Yes	No	Yes	Yes

California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other harm.

Canadian WHMIS information

Chemical inventory: All components of this product are included on the Domestic Substances List (DSL) or are not required to be listed on the DSL.

General information: This product is a controlled product under the Canadian Workplace Hazardous Materials Information System.

Revision 1.0

SDS #: 7001

Component analysis: This product does not contain substances required to be disclosed according to the Canada WHMIS Ingredient Disclosure List.

Section 16: Other Information

Other information

DISCLAIMER: For industrial use only. Reasonable care has been taken in the preparation of this information and is believed to be accurate as of the date issued. Seller does not suggest or guarantee that any hazards listed herein are the only ones which exist and makes no warranty of any kind, express or implied, concerning the safe use of this material in user's process or in combination with other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials.

SELLER MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.

Issue Date: 2015-May-16