

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Page: 1/9

1 Identification	
· Product identifier	
· Trade name: SRG Part A POLYOL	
• Other means of identification: No other identifiers	
Recommended use and restriction on use Recommended use: Industrial uses. Restrictions on use: For professional use only.	
• Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier: METZGER/McGUIRE Mailing Address: PO Box 2217 Concord, NH 03302 Shipping Address: 807 Route 3-A Bow, NH 03304 Phone: 603-224-6122 Toll Free: 800-223-6680 Email: info@metzgermcguire.com	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
2 Hazard(s) identification	
· Classification of the substance or mixture	
Flam. Lig. 4 H227 Combustible liquid.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.	
 Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized Syst Hazard pictograms: 	em (GHS).
GHS07 GHS08	
 Signal word: Danger Hazard statements: H227 Combustible liquid. H319 Causes serious eye irritation. H304 May be fatal if swallowed and enters airways. Precautionary statements: 	

Precautionary statements:

P210Keep away from heat/sparks/open flames/hot surfaces. - No smoking.P264Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection.

(Cont'd. on page 2)



Printing date: June 08, 2018



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: June 08, 2018

Trade name: SRG Part A POLYOL

	(Cont'd. of page
P301+P310	If swallowed: Immediately call a poison center/doctor.
P331	Do NOT induce vomiting.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

· Components:		
102-60-3 1,1',1",1"'-ethylenedinitrilotetrapropan-2-ol	🚯 Eye Irrit. 2A, H319	15-20%
64742-48-9 Naphtha (petroleum), hydrotreated heavy	 Flam. Liq. 3, H226 Asp. Tox. 1, H304 	5-10%

Additional information:

For the wording of the listed Hazard Statements, refer to section 16. For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

4 First-aid measures

Description of first aid measures	
After inhalation:	
Respiration of particulates is unlikely during normal usage.	
Supply fresh air; consult doctor in case of complaints.	
Provide oxygen treatment if affected person has difficulty breathing.	
In case of unconsciousness place patient stably in side position for transportation.	
After skin contact:	
Immediately wash with water and soap and rinse thoroughly.	
Seek medical treatment in case of complaints.	
· After eye contact:	
Remove contact lenses if worn.	
Rinse opened eye for several minutes under running water. If symptoms persist, o	consult a doctor.
After swallowing:	
Rinse out mouth and then drink plenty of water.	
Do not induce vomiting; immediately call for medical help.	
A person vomiting while lying on their back should be turned onto their side.	
Most important symptoms and effects, both acute and delayed:	
Breathing difficulty	
Dizziness	
Coughing	
Causes eve irritation.	
Gastric or intestinal disorders when ingested.	
	(Cont'd. on page



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part A POLYOL

(Cont'd. of page 2)

Page: 3/9

Nausea in case of ingestion. Unconsciousness

Danger:

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If swallowed or in case of vomiting, danger of entering the lungs. If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water stream.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Wear protective equipment. Keep unprotected persons away. Particular danger of slipping on leaked/spilled product. Environmental precautions Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling: Avoid splashes or spray in enclosed areas.

(Cont'd. on page 4)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part A POLYOL

(Cont'd. of page 3)

Use only in well ventilated areas. Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Use only receptacles specifically permitted for this substance/product.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizers, strong acids, strong bases.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Engineering controls: No relevant information available.

Breathing equipment:

Not required under normal conditions of use.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device in case of insufficient ventilation

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eye protection:



Safety glasses

Body protection: Protective work clothing

Limitation and supervision of exposure into the environment No relevant information available.

9 Physical and chemical properties

(Cont'd, on page 5)





Page: 5/9

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part A POLYOL

 Information on basic physical and Appearance: Form: 	l chemical properties	
Form:		
	Liquid	
Color:	Black	
· Odor: · Odor threshold:	Characteristic Not determined.	
· pH-value:	Not determined.	
 Melting point/Melting range: Boiling point/Boiling range: 	Not determined.	
0, 0, 0		
· Flash point:	>60.6 °C (>141.1 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	0.98 (water=1)	
Vapor density:	>1 (air=1)	
Evaporation rate:	Not determined.	
 Solubility in / Miscibility with 		
Water:	Slightly soluble.	
· Partition coefficient (n-octanol/water)	· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

 Reactivity: No relevant information available. Chemical stability: Stable under normal temperatures and pressures. Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Reacts with strong acids and alkali. 	
Reacts with strong oxidizing agents.	







acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part A POLYOL

- Conditions to avoid Excessive heat.
 Incompatible materials Oxidizers, strong bases, strong acids
 Hazardous decomposition products Carbon monoxide and carbon dioxide Hydrocarbons

11 Toxicological information

Information on toxicological effects	
• Acute toxicity: Based on available data, the classification criteria are not met.	
LD/LC50 values that are relevant for classification:	
64742-48-9 Naphtha (petroleum), hydrotreated heavy	
Oral LD50 >5000 mg/kg (rat)	
Dermal LD50 >3000 mg/kg (rabbit)	
Primary irritant effect:	
 On the skin: Slight irritant effect on skin and mucous membranes. 	
• On the eye: Irritating effect.	
· Sensitization: No sensitizing effects known.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
• NTP (National Toxicology Program):	
None of the ingredients are listed.	
OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
· Probable route(s) of exposure:	
Ingestion.	
Eye contact.	
Skin contact.	
 Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. 	
• Reproductive toxicity: Based on available data, the classification criteria are not met.	
• STOT-single exposure: Based on available data, the classification criteria are not met.	
• STOT-repeated exposure: Based on available data, the classification criteria are not met.	
• Aspiration hazard: May be fatal if swallowed and enters airways.	
· · · · · · · · · · · · · · · · · · ·	

12 Ecological information

Toxicity

(Cont'd. on page 6)

- · Aquatic toxicity Harmful to aquatic life with long lasting effects.
- Persistence and degradability Not easily biodegradable
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish

(Cont'd. on page 7)

(Cont'd. of page 5)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part A POLYOL

(Cont'd. of page 6)

Page: 7/9

Additional ecological information

· General notes: Do not allow product to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number	
· DOT	NA1993
· ADR, IMDG, IATA	Not regulated.
· UN proper shipping name	
DOT	Combustible liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy)
· ADR, IMDG, IATA	Not regulated.
Transport hazard class(es)	
·DOT	
· Class	3
Label	3
· ADR, IMDG, IATA	
Class	Not regulated.
· Packing group	
·DOT	III
· ADR, IMDG, IATA	Not regulated.
Environmental hazards	
· Marine pollutant:	No
	(Cont'd. on page 8)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part A POLYOL

Special precautions for user

(Cont'd. of page 7) Not applicable. Not applicable.

MARPOL73/78 and the IBC Code Transport/Additional information:

Transport in bulk according to Annex II of

DOT

Remarks:

Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
· TSCA (Toxic Substances Control Act)
All ingredients are listed.
· Proposition 65 (California)
· Chemicals known to cause cancer:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity for females:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity for males:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity: Present in trace quantities.
872-50-4 N-methyl-2-pyrrolidone
EPA (Environmental Protection Agency):
None of the ingredients are listed.
· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
(Cont'd. on page 9)





Printing date: June 08, 2018

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Page: 9/9

Revision: June 08, 2018

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part A POLYOL **1** Identification (Cont'd. of page 8) Canadian Domestic Substances List (DSL) (Substances not listed.): All ingredients are listed. 16 Other information Restrictions on use: For professional use only. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation PO Box 2217 IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Flam. Liq. 3: Flammable liquids - Category 3 Flam, Lig. 4: Flammable liquids - Category 4 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Asp. Tox. 1: Aspiration hazard – Category 1 ChemTel Inc. Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: Skin Irrit. 2 ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com Carc. 2

Product identifier

METZGER/McGUIRE

Trade name: SRG Part B ISO

Other means of identification: No other identifiers

Recommended use and restriction on use

Recommended use: Industrial uses.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: METZGER/McGUIRE Mailing Address: Concord, NH 03302 Shipping Address: 807 Route 3-A Bow. NH 03304 Phone: 603-224-6122 Toll Free: 800-223-6680 Email: info@metzgermcguire.com

Emergency telephone number:

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

Classification of the substance or mixture

Acute Tox, 4 H332 Harmful if inhaled. H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. STOT SE 3 H335 May cause respiratory irritation. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Label elements

Safety Data Sheet

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms:



Signal word: Danger

Hazard statements:

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Page: 2/10

(Cont'd of page 1)

Trade name: SRG Part B ISO

	(Cont'd. of page 1)
H332 Harmf	ul if inhaled.
H315 Cause	s skin irritation.
H319 Cause	s serious eye irritation.
	ause allergy or asthma symptoms or breathing difficulties if inhaled.
	ause an allergic skin reaction.
	cted of causing cancer.
	ause respiratory irritation.
	ause damage to organs through prolonged or repeated exposure.
	iry statements:
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection.
P285	In case of inadequate ventilation wear respiratory protection.
P302+P352	
P302+P352	
	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P3514	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
D200 (D242	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	· · · · · · · · · · · · · · · · · · ·
O (b) =	

· Other hazards There are no other hazards not otherwise classified that have been identified.

Chemical characterization: Mixtures	
Components:	
9016-87-9 diphenylmethanediisocyanate,isomeres and homologues Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H3 STOT SE 3, H335	36-43% 17;
101-68-8 4,4'-methylenediphenyl diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H3 STOT SE 3, H335	23-30%

(Cont'd. on page 3)







acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

(Cont'd. of page 2)

4 First-aid measures Description of first aid measures After inhalation: Supply fresh air and to be sure to call for a doctor. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Asthma attacks Headache Breathing difficulty Coughing Allergic reactions Irritant to skin and mucous membranes. Causes eye irritation. May cause respiratory irritation. Gastric or intestinal disorders when ingested. Nausea in case of indestion. Danger: Danger of impaired breathing. Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure. May cause cancer. Indication of any immediate medical attention and special treatment needed: Contains isocyanates. Consult literature for specific antidotes. Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Later observation for pneumonia and pulmonary edema. Treat skin and mucous membrane with antihistamine and corticoid preparations. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray. For safety reasons unsuitable extinguishing agents: Water stream.

(Cont'd. on page 4)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

(Cont'd. of page 3)

Page: 4/10

Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Isolate area and prevent access.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling: Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Avoid breathing mist, vapors, or spray. Avoid contact with the eyes and skin. Information about protection against explosions and fires: Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizers, strong acids, strong bases.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles. Protect from humidity and water.

Specific end use(s) No relevant information available.

(Cont'd. on page 5)





Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

(Cont'd. of page 4)

8 Exposure controls/personal protection		
· Control parameters		
 Components with limit values that require monitoring at the workplace: 		
101-68-8 4,4'-m	101-68-8 4,4'-methylenediphenyl diisocyanate	
PEL (USA)	Ceiling limit value: 0.2 mg/m ³ , 0.02 ppm	
REL (USA)	Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2* mg/m³, 0.02* ppm *10-min	
TLV (USA)	Long-term value: 0.051 mg/m³, 0.005 ppm	
EL (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.01 ppm Skin; S(R)	
EV (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.02 ppm	
LMPE (Mexico)	Long-term value: 0.005 ppm	

Exposure controls

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Engineering controls: No relevant information available.

Breathing equipment:



Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Eve protection:



Body protection: Protective work clothing

Limitation and supervision of exposure into the environment No relevant information available.

Risk management measures No relevant information available.

(Cont'd. on page 6)



Page: 6/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

(Cont'd. of page 5)

 Information on basic physical and Appearance: Form: Color: 	chemical properties
Form:	Liquid
	Liquid
	Amber colored
· Odor: · Odor threshold:	Musty. Not determined.
· pH-value:	Not determined.
Melting point/Melting range:	Not determined.
 Boiling point/Boiling range: 	Not determined.
· Flash point:	>93.3 °C (>199.9 °F) (closed cup)
 Flammability (solid, gaseous): 	Not applicable.
· Auto-ignition temperature:	>300 °C (>572 °F)
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
 Oxidizing properties: 	Not determined.
 Vapor pressure at 25 °C (77 °F): 	<0.001 mmHg
· Density:	
Relative density:	1.15 (water=1)
Vapor density:	>1 (air=1)
Evaporation rate:	Not determined.
· Solubility in / Miscibility with	
Water:	Slowly reacts with water.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
• Other information	No relevant information available.

10 Stability and reactivity

Reactivity: No relevant information available.

Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point. Exothermic polymerization.

(Cont'd. on page 7)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

Reacts with alcohols, amines, aqueous acids and alkalis. Reacts with strong oxidizing agents. • Conditions to avoid Moisture. Excessive heat. • Incompatible materials Oxidizers, strong bases, strong acids • Hazardous decomposition products Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Isocyanate Hydrogen cyanide (prussic acid)	(Cont'd. of page 6)
11 Toxicological information	
Information on toxicological effects Acute toxicity: Harmful if inhaled. LD/LC50 values that are relevant for classification: 101-68-8 4,4'-methylenediphenyl diisocyanate	
Oral LD50 2200 mg/kg (mouse)	
 Primary irritant effect: On the skin: Irritant to skin and mucous membranes. On the eye: Irritating effect. Sensitization: May cause sensitisation by inhalation and skin contact. 	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
• NTP (National Toxicology Program):	
None of the ingredients are listed.	
• OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
Probable route(s) of exposure: Ingestion. Inhalation. Eye contact. Skin contact. Germ cell mutagenicity: Based on available data, the classification criteria are not met.	

• Carcinogenicity: Suspected of causing cancer. • Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: May cause respiratory irritation.

STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure. Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity

· Aquatic toxicity No relevant information available.

(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

(Cont'd. of page 7)

Page: 8/10

Persistence and degradability No relevant information available.
 Bioaccumulative potential: No relevant information available.
 Mobility in soil: No relevant information available.

- Mobility in soil: No relevant information available
- Additional ecological information

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

[•] Results of PBT and vPvB assessment

- · PBT: Not applicable.
- vPvB: Not applicable.

• Other adverse effects No relevant information available.

13 Disposal considerations

Waste treatment methods

· Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[•] Uncleaned packagings

Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	x II of Not applicable.	

(Cont'd. on page 9)





Page: 9/10

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

(Cont'd. of page 8)

45 Desculatory information	
15 Regulatory information	
[·] Safety, health and environmental regulations/legislation specific for the substa mixture	ance or
· United States (USA) · SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 313 (Specific toxic chemical listings):	
9016-87-9 diphenylmethanediisocyanate, isomeres and homologues	
101-68-8 4,4'-methylenediphenyl diisocyanate	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
······································	CBD
101-68-8 4,4'-methylenediphenyl diisocyanate	D, CBD
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL) (Substances not listed.):	
All ingredients are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Cont'd. on page 10)



Page: 10/10

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: June 08, 2018

Revision: June 08, 2018

Trade name: SRG Part B ISO

(Cont'd. of page 9)

(Contral of page 9)	i i
LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic VPUB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity – Category 4 Skin Irit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Sources	
 Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers 	
SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com	