



April 10, 2019

Re: Compliance with U.S. Green Building Council's LEED Program  
 (Leadership in Energy and Environmental Design)  
 Compliance with South Coast Air Quality Management District (SCAQMD)  
 Rule 1168, Oct. 6, 2017

To Whom it May Concern:

Metzger/McGuire Semi-Rigid Concrete Joint Fillers and Concrete Repair Products are all compliant with the USGBC LEED standards limiting VOC's. The chart below shows our products and their VOC content and compliance status:

Product	VOCg/L	LEED Compliant	LEED v4 Compliant
<b>Concrete Floor Joint Fillers</b>			
MM-80 Heavy Duty, Semi-Rigid Epoxy	0	YES - IEQ 4.1	Not tested
MM-80P Heavy Duty, Semi-Rigid Epoxy	0	YES - IEQ 4.1	Not tested
Edge-Pro 80 Moisture Tolerant Semi-Rigid Polyurea	0	YES - IEQ 4.1	YES
Edge-Pro 90 Heavy Duty, Semi-Rigid Polyurea	0	YES - IEQ 4.1	Not tested
Spal-Pro RS 88 Rapid Setting, Semi-Rigid Polyurea	0	YES - IEQ 4.1	YES
Spal-Pro RSF Rapid Setting, Semi-Rigid Polyurea	0	YES - IEQ 4.1	Not tested
Spal-Pro RS 65 Rapid Setting, Semi-Rigid Polyurea	0	YES - IEQ 4.1	Not tested
Spal-Pro 2000 Rapid Setting, Semi-Rigid Polyurea	0	YES - IEQ 4.1	Not tested
<b>Concrete Repair Products</b>			
Armor-Hard Structural Epoxy	0	YES - IEQ 4.2	Not tested
Armor-Hard Extreme Structural Epoxy	0	YES - IEQ 4.2	Not tested
Armor-Hard HDR Structural Epoxy Overlay System	0	YES - IEQ 4.2	Not tested
Rapid Refloor Low Viscosity Structural Polyurea	0	YES - IEQ 4.2	Not tested
Rapid Refloor XP Low Viscosity Structural Polyurea	0	YES - IEQ 4.2	Not tested
Rapid Refloor Pit Grout Polyurea Grouting System	0	YES - IEQ 4.2	Not tested
Spal-Pro Stabilizer Injectable Underslab Polyurea	0	YES - IEQ 4.2	Not tested
SRG (Surface Refinement Grout)	44	YES - IEQ 4.2	Not tested

None of the above referenced products exceed the VOC safety guidelines established by the U.S. EPA and all are fully compliant with the criteria set forth to qualify for the **IEQ4.1 Low-emitting adhesives, sealants** or **IEQ4.2 Low-Emitting Materials – Paints and Coatings** credits allowed by the U.S. Green Building Council's LEED (Leadership in Energy and Environmental Design) program. These products also do not exceed limits required for compliance with the South Coast Air Quality Management District (SCAQMD) Rule 1168, Oct. 6, 2017.

Please contact us should you have further questions regarding this issue.

Cordially,

Scott Metzger

800-223-MM80

[www.metzgermcguire.com](http://www.metzgermcguire.com)

P.O. Box 2217 Concord, NH 03302