

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024


(800)

(801)

GHS07

Revision: July 1, 2024

Page: 1/11



P261	Avoid breathing mist vanors or sprav

Avoid breathing mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. P272

P280 Wear protective gloves/protective clothing/eye protection.

P302+P352 If on skin: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

(Cont'd. on page 2)







acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

```
Printing date: July 1, 2024
```

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part A

(Cont'd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical ch	aracterization: Mixtures	
· Components	8	
106264-79-3	1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)- Acute Tox. 4, H302; Skin Sens. 1, H317	10-20%
5285-60-9	4,4'-methylenebis[N-sec-butylaniline] ♦ Acute Tox. 4, H302	0-5%
102-60-3	1,1',1",1"'-ethylenedinitrilotetrapropan-2-ol	0-5%
1333-86-4	Carbon black	0-5%
13463-67-7	titanium dioxide	0-5%
104-19-8	N,N,4-trimethylpiperazine-1-ethylamine Acute Tox. 3, H311 Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302 Flam. Liq. 4, H227	<1%
Additional in	formation:	

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. Non-classification as a carcinogen is based on non-respirable form of product. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

Description of first aid measures After inhalation: Respiration of particulates is unlikely during normal usage. Supply fresh air; consult doctor in case of complaints. After skin contact: Do not pull solidified product away from the skin. Immediately wash with water and soap and rinse thoroughly. If skin irritation or rash occurs: Get medical advice/attention. After eve contact: Remove contact lenses if worn, if possible. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: Headache Breathing difficulty Coughing (Cont'd. on page 3)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part A

(Cont'd. of page 2)

Page: 3/11

- Allergic reactions Nausea in case of ingestion. Gastric or intestinal disorders when ingested.
- Vomiting.
- Diarrhea.
- Slight irritant effect on eyes.
- Slight irritant effect on skin and mucous membranes.
- · Indication of any immediate medical attention and special treatment needed:

Contains 1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)-. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: Water fog / haze Foam Gaseous extinguishing agents Fire-extinguishing powder For safety reasons unsuitable extinguishing agents: Water spray Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Use personal protective equipment as required. Environmental precautions Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system. Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
See Section 13 for disposal information.

7 Handling and storage

(Cont'd. on page 4)







acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part A

- Handling Precautions for safe handling:
- Use only in well ventilated areas.
- Avoid contact with the eyes and skin.
- Open and handle receptacle with care.
- Avoid breathing mist, vapors, or spray.
- Information about protection against explosions and fires: Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame.

- Store in cool, dry conditions in well sealed receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

Control paral		
· Components w	ith limit values that require monitoring at the workplace:	
1333-86-4 Carb	on black	
PEL (USA)	Long-term value: 3.5 mg/m ³	
REL (USA)	Long-term value: 3.5* mg/m ³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C	
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction	
EL (Canada)	Long-term value: 3 mg/m³ IARC 2B	
EV (Canada)	Long-term value: 3.5 mg/m ³	
LMPE (Mexico)	Long-term value: 3* mg/m³ A3, *fracción inhalable	
13463-67-7 tita	nium dioxide	
PEL (USA)	Long-term value: 15* mg/m ³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m ³	
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust;**respirable fraction; IARC 2B	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
	trols tive and hygienic measures: uutionary measures for handling chemicals should be followed.	(Cont'd. on page 5)



(Cont'd. of page 3)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Page: 5/11

Trade name: Spal-Pro 2000 Part A (Cont'd. of page 4) Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Avoid breathing mist, vapors, or spray. Engineering controls: No relevant information available. Breathing equipment: Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded. · Protection of hands: Protective gloves Eye protection: Safety glasses Body protection: Protective work clothing Limitation and supervision of exposure into the environment Avoid release to the environment. Risk management measures No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties Appearance: Form: Liquid Color: According to product specification Odor: Not determined. Odor threshold: Not determined. pH-value: Not determined. Melting point/Melting range: Not determined. Boiling point/Boiling range: Not determined. Flash point: >93 °C (>199.4 °F) Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Not determined. Upper: Not determined. **Oxidizing properties:** Not determined. (Cont'd. on page 6)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade na	me: Spal	-Pro 200	0 Part A
----------	----------	----------	----------

		(Cont'd. of page 5
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ater): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

Reactivity: No relevant information available. Chemical stability: Stable under normal temperatures and pressures. Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Exothermic polymerization. Reacts with oxidizing agents. Reacts with strong acids and alkali. Reacts with peroxides and other radical forming substances. Conditions to avoid Store away from oxidizing agents. Avoid acids. Excessive heat. Incompatible materials Oxidizers, strong bases, strong acids Hazardous decomposition products Carbon monoxide and carbon dioxide 11 Toxicological information Information on toxicological effects Acute toxicity: Based on available data, the classification criteria are not met. LD/LC50 values that are relevant for classification:

106264-79-3 1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)-LD50 1515 mg/kg (rat) Oral 104-19-8 N.N.4-trimethylpiperazine-1-ethylamine LD50 1420 mg/kg (rat) Oral Dermal LD50 390 mg/kg (rabbit) Primary irritant effect: (Cont'd. on page 7)



Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Page: 7/11

Trade name: Spal-Pro 2000 Part A
 On the skin: Based on available data, the classification criteria are not met. On the eye: Based on available data, the classification criteria are not met. Sensitization: Sensitization possible through skin contact.
IARC (International Agency for Research on Cancer):
1333-86-4 Carbon black 2B
13463-67-7 titanium dioxide 2B
NTP (National Toxicology Program):
None of the ingredients are listed.
· OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.
 Probable route(s) of exposure: Ingestion. Eye contact. Skin contact. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.
12 Ecological information
 Toxicity Aquatic toxicity Toxic to aquatic life with long lasting effects. 106264-79-3 1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)- LC50 16.9 mg/l (Oncorhynchus mykiss) EC50 1.1 mg/l (daphnia) ErC50 7.6 mg/l (Pseudokirchneriella subcapitata) Persistence and degradability No relevant information available. Bioaccumulative potential: No relevant information available. Mobility in soil: No relevant information available. Additional ecological information General notes: Do not allow product to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No relevant information available.
13 Disposal considerations (Cont'd. on page 8)
(Contu. on page o)





Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part A

(Cont'd. of page 7)

Waste treatment methods

Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information	
· UN-Number · DOT · ADR, IMDG, IATA	Not regulated. UN3082
· UN proper shipping name · DOT · ADR, IMDG, IATA	Not regulated. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3-Benzenediamine, 2(or 4)-methyl- 4,6(or 2,6)-bis(methylthio)-)
 Transport hazard class(es) 	
· DOT · Class	Not regulated.
ADR	
\bigcirc	
Class	9 (M6)
· Label · IMDG, IATA	9
<u>م</u>	
· Class · Label	9 9
 Packing group DOT ADR, IMDG, IATA 	Not regulated. III
	(Cont'd. on page 9)



Page: 9/11

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Trade name: Spal-Pro 2000 Part A

Revision: July 1, 2024

	(Cont'd. of page 8)
Environmental hazards	Product contains environmentally hazardous substances: 1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)-
Marine pollutant:	
Yes	
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Danger code (Kemler):	90
EMS Number:	F-A,S-F
Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5L or less for liquids or 5 kg or less for solids per the following: ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197
DOT	
Remarks:	Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.

 Safety, health and environmental regulations/legislation specific for the substance or mixture United States (USA) SARA
· Section 302 (extremely hazardous substances):
None of the ingredients are listed.
· Section 355 (extremely hazardous substances):
None of the ingredients are listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients are listed.
· TSCA (Toxic Substances Control Act)
All ingredients are listed.
· Proposition 65 (California) (Cont'd. on page 10)





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part A

(Cont'd. of page 9)
· Chemicals known to cause cancer:
Reference to chemical component(s) listed below are based on unbound respirable particles and are not
generally applicable to product as supplied.
1333-86-4 Carbon black
13463-67-7 titanium dioxide
Chemicals known to cause developmental toxicity for females:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity for males:
None of the ingredients are listed.
Chemicals known to cause developmental toxicity:
None of the ingredients are listed.
· EPA (Environmental Protection Agency):
None of the ingredients are listed.
IARC (International Agency for Research on Cancer):
Reference to chemical component(s) listed below are based on unbound respirable particles and are not
generally applicable to product as supplied.
1333-86-4 Carbon black
13463-67-7 titanium dioxide 2B
Canadian Domestic Substances List (DSL):
All ingredients listed on DSL or NDSL.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

```
Date of preparation / last revision May 14, 2018 / - July 1, 2024
```

```
Abbreviations and acronyms:
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistant, Bio-accumulable, Toxic
vPvB: very Persistent and very Bioaccumulative
OSHA: Occupational Safety & Health Administration
Flam. Liq. 4: Flammable liquids - Category 4
Acute Tox. 4: Acute toxicity - Category 4
Acute Tox. 3: Acute toxicity - Category 3
Skin Corr. 1B: Skin corrosion/irritation - Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Skin Sens. 1: Skin sensitisation – Category 1
Sources
Website, European Chemicals Agency (echa.europa.eu)
Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/
overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
```

(Cont'd. on page 11)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part A

(Cont'd. of page 10)

Page: 11/11

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com





acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

1 Identification

- Product identifier
- · Trade name: Spal-Pro 2000 Part B

Other means of identification: No other identifiers

- · Recommended use and restriction on use
- · Recommended use: Industrial uses.
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier: METZGER/McGUIRE Mailing Address: PO Box 2217 Concord, NH 03302 Shipping Address: 8 Integra Dr. Concord, NH 03301 Phone: 603-224-6122 Toll Free: 800-223-6680 Email: info@metzgermcguire.com

· Emergency telephone number:

ChemTel Inc. (800) 255-3924 (North America) (801) 1 (813)248-0585 (International)

2 Hazard(s) identification

Classification of the substance or mixture

Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

- Eye Irrit. 2A H319 Causes serious eye irritation.
- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Carc. 2 H351 Suspected of causing cancer.
- STOT SE 3 H335 May cause respiratory irritation.
- STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



Signal word: Danger

Hazard statements:

(Cont'd. on page 2)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Page: 2/10

(Cont'd. of page 1)

Trade name: Spal-Pro 2000 Part B

H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. Precautionary statements: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. P272 P280 Wear protective gloves/protective clothing/eye protection. In case of inadequate ventilation wear respiratory protection. P285 P302+P352 If on skin: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. P308+P313 P312 Call a poison center/doctor if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. P333+P313 P337+P313 If eye irritation persists: Get medical advice/attention. P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients Chemical characterization: Mixtures Components: 9016-87-9 diphenylmethanediisocyanate, isomeres and homologues 0-35% & Resp. Sens. 1, H334; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335 112898-48-3 Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer 0-35% with 1,1'-methylenebis[isocyanatobenzene] Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335 26447-40-5 methylenediphenyl diisocvanate 0-25% & Resp. Sens. 1, H334; STOT RE 2, H373 (Cont'd. on page 3)





Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B

		Cont'd. of page
	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H3	317;
	STOT SE 3, H335	
101 69 9	4,4'-methylenediphenyl diisocyanate	0-20
101-00-0		0-20
	& Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	
	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H3	517;
	STOT SE 3, H335	
· Additional in	formation:	
	ing of the listed Hazard Statements, refer to section 16.	
	I ingredient(s), the identity and/or exact percentage(s) are being withheld as a tra	de secret
4 Finat aid n		
4 First-aid n	neasures	
Description	n of first aid measures	
After inhalat	tion:	
	air and to be sure to call for a doctor.	
	en treatment if affected person has difficulty breathing.	
	egular breathing or respiratory arrest provide artificial respiration.	
	consciousness place patient stably in side position for transportation.	
 After skin co 		
Immediately	remove any clothing soiled by the product.	
Immediately	wash with water and soap and rinse thoroughly.	
	on continues, consult a doctor.	
After eve co		
	tact lenses if worn.	
	d eye for several minutes under running water. If symptoms persist, consult a do	octor.
After swallo	wing:	
Rinse out mo	buth and then drink plenty of water.	
Do not induc	e vomiting; immediately call for medical help.	
	ant symptoms and effects, both acute and delayed:	
Asthma attac		
Headache		
	C It .	
Breathing dif	ricuity	
Coughing		
Allergic react	tions	
Irritant to skir	n and mucous membranes.	
Causes eye i	irritation.	
	espiratory irritation.	
	estinal disorders when ingested.	
Gasulo ULIII		
Nausea in ca	ase of ingestion.	
Nausea in ca • Danger:	ase of ingestion.	
Nausea in ca Danger: Danger of im	ase of ingestion.	
Nausea in ca · Danger:	ase of ingestion.	
Nausea in ca • Danger: Danger of im Harmful if inh	ase of ingestion. Ipaired breathing. naled.	
Nausea in ca Danger: Danger of im Harmful if inh May cause d	ase of ingestion. Inpaired breathing. Inaled. amage to organs through prolonged or repeated exposure.	
Nausea in ca Danger: Danger of im Harmful if inh May cause d Suspected of	ase of ingestion. Inpaired breathing. Inaled. amage to organs through prolonged or repeated exposure. f causing cancer.	
Nausea in ca Danger: Danger of im Harmful if inh May cause d Suspected of Indication o	ase of ingestion. paired breathing. naled. amage to organs through prolonged or repeated exposure. f causing cancer. f any immediate medical attention and special treatment needed:	
Nausea in ca Danger: Danger of im Harmful if inh May cause d Suspected of Indication o Contains 4,4	ase of ingestion. paired breathing. haled. amage to organs through prolonged or repeated exposure. f causing cancer. f any immediate medical attention and special treatment needed: '-methylenediphenyl diisocyanate, diphenylmethanediisocyanate, isomeres and	
Nausea in ca Danger: Danger of im Harmful if int May cause d Suspected of Indication o Contains 4,4 Oxirane, m	ase of ingestion. aled. amage to organs through prolonged or repeated exposure. f causing cancer. f any immediate medical attention and special treatment needed: '-methylenediphenyl diisocyanate, diphenylmethanediisocyanate, isomeres and ethyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polym	er with 1,
Nausea in ca Danger: Danger of im Harmful if int May cause d Suspected of Indication o Contains 4,4 Oxirane, m	ase of ingestion. paired breathing. haled. amage to organs through prolonged or repeated exposure. f causing cancer. f any immediate medical attention and special treatment needed: '-methylenediphenyl diisocyanate, diphenylmethanediisocyanate, isomeres and	er with 1,
Nausea in ca Danger: Danger of im Harmful if inh May cause d Suspected of Indication o Contains 4,4 Oxirane, m methylenebis	ase of ingestion. aled. amage to organs through prolonged or repeated exposure. f causing cancer. f any immediate medical attention and special treatment needed: '-methylenediphenyl diisocyanate, diphenylmethanediisocyanate, isomeres and ethyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polym	er with 1,



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B

(Cont'd. of page 3)

Page: 4/10

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

Treat skin and mucous membrane with antihistamine and corticoid preparations. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray. For safety reasons unsuitable extinguishing agents: Water stream. Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced. Advice for firefighters Protective equipment: Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases. Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation. Isolate area and prevent access.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling: Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Avoid breathing mist, vapors, or spray. Avoid contact with the eyes and skin. Information about protection against explosions and fires:

(Cont'd. on page 5)







acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B

Keep respiratory protective device available.	(Cont'd.
Conditions for safe storage, including any incompatibilities	
Requirements to be met by storerooms and receptacles:	
Avoid storage near extreme heat, ignition sources or open flame. Information about storage in one common storage facility:	
Store away from foodstuffs.	
Store away from oxidizers, strong acids, strong bases.	
Further information about storage conditions:	
Store in cool, dry conditions in well sealed receptacles.	
Protect from humidity and water.	

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

e entre la parametere		
· Components with limit values that require monitoring at the workplace:		
101-68-8 4,4'-m	ethylenediphenyl diisocyanate	
PEL (USA)	Ceiling limit value: 0.2 mg/m³, 0.02 ppm	
REL (USA)	Long-term value: 0.05 mg/m³, 0.005 ppm Ceiling limit value: 0.2* mg/m³, 0.02* ppm *10-min	
TLV (USA)	Long-term value: 0.051 mg/m ³ , 0.005 ppm	
EL (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.01 ppm Skin; S(R)	
EV (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.02 ppm	
LMPE (Mexico)	Long-term value: 0.005 ppm	

Exposure controls

	General protective and hygienic measures:		
The usual precautionary measures for handling chemicals should be followed.			
	Keep away from foodstuffs, beverages and feed.		
	Immediately remove all soiled and contaminated clothing.		
	Wash hands before breaks and at the end of work.		
	Do not inhale gases / fumes / aerosols.		
	Avoid contact with the eyes and skin.		
	Engineering controls: No relevant information available.		
	· Breathing equipment:		
	Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities.		

Protection of hands:

(Cont'd. on page 6)

of page 4)



Page: 6/10

METZGER/McGUIRE

Printing date: July 1, 2024

Viscosity

Dynamic:

Kinematic:

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B

(Cont'd. of page 5)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Eye protection:



· Body protection: Protective work clothing

Limitation and supervision of exposure into the environment No relevant information available.

Melting point/Melting range:Not determined.Boiling point/Boiling range:Not determined.Flash point:>93 °C (>199.4 °F)Flammability (solid, gaseous):Not applicable.Auto-ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product does not present an explosion hazard.Explosion limitsVot determined.Lower:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Density:Not determined.Relative density:Not determined.Vapor density:Not determined.Solubility in / Miscibility with Water:Slowly reacts with water.	Information on basic physical a	and chemical properties	
Color:According to product specificationOdor:CharacteristicOdor threshold:Not determined.pH-value:Not determined.Melting point/Melting range:Not determined.Boiling point/Boiling range:Not determined.Flash point:>93 °C (>199.4 °F)Flammability (solid, gaseous):Not applicable.Auto-ignition temperature:Not determined.Decomposition temperature:Not determined.Danger of explosion:Product does not present an explosion hazard.Explosion limitsLower:Lower:Not determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Density:Relative density:Relative density:Not determined.Vapor density:Not determined.Solubility in / Miscibility with Water:Slowly reacts with water.	Appearance:		
Odor: Characteristic Odor threshold: Not determined. pH-value: Not determined. Melting point/Boiling range: Not determined. Boiling point/Boiling range: Not determined. Boiling point/Boiling range: Not determined. Flash point: >93 °C (>199.4 °F) Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Not determined. Vapor density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.			
Odor threshold: Not determined. pH-value: Not determined. Melting point/Boiling range: Not determined. Boiling point/Boiling range: Not determined. Flash point: >93 °C (>199.4 °F) Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Vapor density: Not determined. Vapor density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.			
pH-value: Not determined. pH-value: Not determined. Boiling point/Boiling range: Not determined. Flash point: >93 °C (>199.4 °F) Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.			
Melting point/Melting range: Not determined. Boiling point/Boiling range: Not determined. Flash point: >93 °C (>199.4 °F) Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.	Odor threshold:	Not determined.	
Boiling point/Boiling range: Not determined. Flash point: >93 °C (>199.4 °F) Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.	pH-value:	Not determined.	
Flash point: >93 °C (>199.4 °F) Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.	Melting point/Melting range:		
Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.	Boiling point/Boiling range:	Not determined.	
Auto-ignition temperature: Not determined. Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.	Flash point:	>93 °C (>199.4 °F)	
Decomposition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits Image: Composition temperature is a splosion hazard. Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Hermined.	Flammability (solid, gaseous):	Not applicable.	
Danger of explosion: Product does not present an explosion hazard. Explosion limits Image: Comparison of the explosion hazard. Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Water: Water: Slowly reacts with water.	Auto-ignition temperature:	Not determined.	
Explosion limits Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Water: Water: Slowly reacts with water.	Decomposition temperature:	Not determined.	
Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Not determined. Vapor density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water.	Danger of explosion:	Product does not present an explosion hazard.	
Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water. Slowly reacts with water.	Explosion limits		
Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water.	Lower:	Not determined.	
Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Slowly reacts with water.			
Density: Not determined. Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water.	Oxidizing properties:	Not determined.	
Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water.	Vapor pressure:	Not determined.	
Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water.	Density:		
Evaporation rate: Not determined. Solubility in / Miscibility with Water: Slowly reacts with water.			
Solubility in / Miscibility with Water: Slowly reacts with water.			
Water: Slowly reacts with water.	Evaporation rate:	Not determined.	
	Solubility in / Miscibility with		
Partition coefficient (n-octanol/water): Not determined.	Water:	Slowly reacts with water.	
	Partition coefficient (n-octanol/was	ter): Not determined.	

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B

(Cont'd. of page 6) Not determined. Not determined. No relevant information available.

10 Stability and reactivity

Other information

 Reactivity: No relevant information available. Chemical stability: Stable under normal temperatures and pressures. Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Exothermic polymerization. Reacts with alcohols, amines, aqueous acids and alkalis. Reacts with strong oxidizing agents. Conditions to avoid Moisture. Excessive heat. Incompatible materials Oxidizers, strong bases, strong acids Hazardous decomposition products Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Isocyanate Hydrogen cyanide (prussic acid)
11 Toxicological information Information on toxicological effects

 Information on toxicological effects Acute toxicity: Harmful if inhaled. 	
LD/LC50 values that are relevant for classification:	
101-68-8 4,4'-methylenediphenyl diisocyanate	
Oral LD50 2200 mg/kg (mouse)	
 Primary irritant effect: On the skin: Irritant to skin and mucous membranes. On the eye: Irritating effect. Sensitization: May cause sensitisation by inhalation and skin contact. 	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
• NTP (National Toxicology Program):	
None of the ingredients are listed.	
OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
	(Cont'd. on page 8)



acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B

(Cont'd. of page 7)

Page: 8/10

- Probable route(s) of exposure:
- Ingestion.
- Eve contact.
- Skin contact.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Suspected of causing cancer.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure. Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

Toxicity

- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information

General notes:

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

Recommendation:

Disposal must be made according to official regulations.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

UN-Number

(Cont'd. on page 9)







acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B

	(Cont'd. of page 8
DOT, ADR, IMDG, IATA	Not regulated.
 UN proper shipping name DOT, ADR, IMDG, IATA 	Not regulated.
 Transport hazard class(es) 	
· DOT, ADR, IMDG, IATA · Class	Not regulated.
 Packing group DOT, ADR, IMDG, IATA 	Not regulated.
· Environmental hazards · Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

- United States (USA)
- SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings): 101-68-8 4,4'-methylenediphenyl diisocyanate

TSCA (Toxic Substances Control Act)

All ingredients are listed

Proposition 65 (California)

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

(Cont'd. on page 10)



Page: 10/10

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 1, 2024

Revision: July 1, 2024

Trade name: Spal-Pro 2000 Part B	
101-68-8 4,4'-methylenediphenyl diisocyanate	(Cont'd. of page 9) D, CBD
· IARC (International Agency for Research on Cancer): None of the ingredients are listed.	
Canadian Domestic Substances List (DSL): All ingredients are listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision May 14, 2018 / - July 1, 2024

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue

Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com