

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

1 Identification

Product identifier

- Trade name: **Spal Pro RS-65 Part A Polyol**
- Product code: No other identifiers

Recommended use and restriction on use

- Recommended use: Component of a Control Joint Polyurethane System
- Restrictions on use: None

Details of the supplier of the Safety Data Sheet

- Manufacturer/Supplier: METZGER/McGUIRE
- Mailing Address: PO Box 2217, Concord, NH 03302
- Shipping Address: 8 Integra Dr., Concord, NH 03301
- Phone: 603-224-6122
- Toll Free: 800-223-6680
- Email: info@metzgermcguire.com
- Emergency telephone number: ChemTel Inc. (800) 255-3924 (North America), (813) 248-0585 (International)

2 Hazard(s) identification

Classification of the substance or mixture

- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Repr. 1 H360 May damage fertility or the unborn child.

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS07 GHS08

Signal word: Danger

Hazard statements:

- H317 May cause an allergic skin reaction.
- H360 May damage fertility or the unborn child.

Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P272 Contaminated work clothing must not be allowed out of the workplace.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

- (Cont'd. of page 1)
- P280 Wear protective gloves/protective clothing/eye protection.
 - P302+P352 IF ON SKIN: Wash with plenty of water.
 - P308+P313 IF exposed or concerned: Get medical advice/attention.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P363 Wash contaminated clothing before reuse.
 - P405 Store locked up.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Components:

13463-67-7	titanium dioxide Carc. 2, H351	≤5%
106264-79-3	6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine Acute Tox. 4, H302; Skin Sens. 1, H317	≤5%
7631-86-9	precipitated silica (silica - amorphous)	≤5%
872-50-4	N-methyl-2-pyrrolidone Acute Tox. 3, H331 Repr. 1B, H360 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 Flam. Liq. 4, H227	≤1%
1333-86-4	carbon black Carc. 2, H351	≤1%

Additional information:

- For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
- For the wording of the listed Hazard Statements refer to section 16.
- Non-classification as a carcinogen is based on non-respirable form of product.

4 First-aid measures

Description of first aid measures

After inhalation:

- Supply fresh air; consult doctor in case of complaints.
- Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

- Immediately remove any clothing soiled by the product.
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.

After eye contact:

- Remove contact lenses if worn.
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 2)

- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
Headache
Coughing
Breathing difficulty
Allergic reactions
Gastric or intestinal disorders when ingested.
Nausea in case of ingestion.
- **Danger:** May damage fertility or the unborn child.
- **Indication of any immediate medical attention and special treatment needed:**
Medical supervision for at least 48 hours.
Contains 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine. May produce an allergic reaction.
Treat skin and mucous membrane with antihistamine and corticoid preparations.
If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Water fog, alcohol foam, dry chemical, CO₂.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation.
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- **Environmental precautions**
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling:**
Prevent formation of aerosols.
Use only in well ventilated areas.
Avoid splashes or spray in enclosed areas.
Avoid contact with the eyes and skin.
Keep out of reach of children.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Avoid storage near extreme heat, ignition sources or open flame.
- **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from oxidizers, strong acids, strong bases.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

PEL (USA)	Long-term value: 15* mg/m ³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: 10 mg/m ³ withdrawn from NIC
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust;**respirable fraction; IARC 2B
EV (Canada)	Long-term value: 10 mg/m ³ total dust
LMPE (Mexico)	Long-term value: 10 mg/m ³ A4

7631-86-9 precipitated silica (silica - amorphous)

NIOSH REL (USA)	Long-term value: 6 mg/m ³
OSHA PEL (USA)	Long-term value: 80 mg/m ³

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 4)

872-50-4 N-methyl-2-pyrrolidone

 WEEL (USA) Long-term value: 10 ppm
Skin

 EV (Canada) Long-term value: 400 mg/m³
1333-86-4 carbon black

 PEL (USA) Long-term value: 3.5 mg/m³

 REL (USA) Long-term value: 3.5* mg/m³
*0.1 in presence of PAHs; See Pocket Guide Apps.A+C

 TLV (USA) Long-term value: 3* mg/m³
*inhalable fraction

 EL (Canada) Long-term value: 3 mg/m³
IARC 2B

 EV (Canada) Long-term value: 3.5 mg/m³

 LMPE (Mexico) Long-term value: 3* mg/m³
A3, *fracción inhalable

Ingredients with biological limit values:
872-50-4 N-methyl-2-pyrrolidone

 BEI (USA) 100 mg/L
Medium: urine
Time: end of shift
Parameter: 5-Hydroxy-N-methyl-2-pyrrolidone

Exposure controls
Personal protective equipment:
General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or ingestion.

Engineering controls: Provide adequate ventilation.

Breathing equipment:

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

Protection of hands:


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection:


Safety glasses

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 5)

Follow relevant national guidelines concerning the use of protective eyewear.

 · **Body protection:** Protective work clothing

 · **Limitation and supervision of exposure into the environment**

No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties
Appearance:

 · **Form:** Liquid
· **Color:** According to product specification

 · **Odor:** Slight

 · **Odor threshold:** Not determined.

 · **pH-value:** 10-12

 · **Melting point/Melting range:** Not determined.

 · **Boiling point/Boiling range:** >200 °C (>392 °F)

 · **Flash point:** Not applicable.

 · **Flammability (solid, gaseous):** Not applicable.

 · **Auto-ignition temperature:** Not determined.

 · **Decomposition temperature:** Not determined.

 · **Danger of explosion:** Product does not present an explosion hazard.

Explosion limits

 · **Lower:** Not determined.

 · **Upper:** Not determined.

 · **Oxidizing properties:** Non-oxidizing.

 · **Vapor pressure:** Not determined.

Density:

 · **Relative density:** 1.02-1.05

 · **Vapor density:** Not determined.

 · **Evaporation rate:** Not determined.

Solubility in / Miscibility with

 · **Water:** Soluble.

 · **Partition coefficient (n-octanol/water):** Not determined.

Viscosity

 · **Dynamic:** Not determined.

 · **Kinematic:** Not determined.

 · **Other information** No relevant information available.

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 6)

10 Stability and reactivity

- **Reactivity:** Reacts with isocyanates
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** Excessive heat.
- **Incompatible materials** Oxidizers, strong bases, strong acids
- **Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

872-50-4 N-methyl-2-pyrrolidone

Oral	LD50	4150 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rat)
Inhalative	LC50/4h	>5.1 mg/l (rat)

- **Primary irritant effect:**
- **On the skin:** Based on available data, the classification criteria are not met.
- **On the eye:** Based on available data, the classification criteria are not met.
- **Sensitization:** Sensitization possible through skin contact.

· **IARC (International Agency for Research on Cancer):**

13463-67-7	titanium dioxide	2B
1333-86-4	carbon black	2B

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Probable route(s) of exposure:**

Ingestion.
Eye contact.
Skin contact.

- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:**
Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.
- **Reproductive toxicity:** May damage fertility or the unborn child.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 7)

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** Toxic to aquatic life with long lasting effects.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Ecotoxical effects:**
- **Remark:** Toxic for fish
- **Additional ecological information**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- **UN-Number**
- **DOT** Not regulated.
- **ADR, IMDG, IATA** UN3082
- **UN proper shipping name**
- **DOT** Not regulated.

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 8)

· ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine), MARINE POLLUTANT
· IATA	Environmentally hazardous substance, liquid, n.o.s. (6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine)

Transport hazard class(es)

· DOT	Not regulated.
· Class	

ADR


· Class	9 (M6) Miscellaneous dangerous substances and articles
· Label	9

IMDG, IATA


· Class	9 Miscellaneous dangerous substances and articles
· Label	9

· Packing group	Not regulated.
· DOT	
· ADR, IMDG, IATA	

· Environmental hazards	Product contains environmentally hazardous substances: 6-methyl-2,4-bis(methylthio)phenylene-1,3-diamine
--------------------------------	--

· Marine pollutant:	Yes Symbol (fish and tree)
----------------------------	-------------------------------

· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Danger code (Kemler):	90
· EMS Number:	F-A,S-F

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
--	-----------------

· Transport/Additional information:	Not regulated when carried in single or combination packaging containing a net quantity of 5 L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(c)(2)
--	--

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 9)

· DOT	ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197
· Remarks:	Transport labeling is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

872-50-4 | N-methyl-2-pyrrolidone

TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)
Chemicals known to cause cancer:

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

13463-67-7 | titanium dioxide

1333-86-4 | carbon black

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

872-50-4 | N-methyl-2-pyrrolidone

Carcinogenic categories
EPA (Environmental Protection Agency):

None of the ingredients are listed.

(Cont'd. on page 11)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 10)

IARC (International Agency for Research on Cancer):

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

13463-67-7	titanium dioxide	2B
1333-86-4	carbon black	2B

NIOSH-Ca (National Institute for Occupational Safety and Health):

13463-67-7	titanium dioxide
1333-86-4	carbon black

Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision May 02, 2017 / August 14, 2024

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bio-accumulable, Toxique
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: l'Institut national de recherche sur la sécurité et la santé au travail / National Institute for Occupational Safety (États-Unis)
 OSHA: Occupational Safety & Health Administration
 Flam. Liq. 4: Flammable liquids – Category 4
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 3: Acute toxicity – Category 3
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 Skin Sens. 1: Skin sensitisation – Category 1
 Carc. 2: Carcinogenicity – Category 2
 Carc. 2: Carcinogenicity – Category 2
 Repr. 1: Reproductive toxicity – Category 1
 Repr. 1B: Reproductive toxicity – Category 1B
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)
 Website, US EPA Substance Registry Services (efmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)
 Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
 Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
 Safety Data Sheets, Individual Manufacturers

SDS Prepared by:
 ChemTel Inc.
 1305 North Florida Avenue

(Cont'd. on page 12)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part A Polyol

(Cont'd. of page 11)

Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
 Website: www.chemtelinc.com

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

1 Identification

- **Product identifier**
- **Trade name:** Spal Pro RS-65 Part B ISO
- **Product code:** No other identifiers
- **Recommended use and restriction on use**
- **Recommended use:** Component of a Control Joint Polyurethane System
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**
METZGER/McGUIRE
Mailing Address:
PO Box 2217
Concord, NH 03302
Shipping Address:
8 Integra Dr.
Concord, NH 03301
Phone: 603-224-6122
Toll Free: 800-223-6680
Email: info@metzgermcguire.com
- **Emergency telephone number:**
ChemTel Inc.
(800) 255-3924 (North America)
(813) 248-0585 (International)

2 Hazard(s) identification

- **Classification of the substance or mixture**
- Acute Tox. 4 H332 Harmful if inhaled.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.
- STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Label elements

- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**



GHS07 GHS08

- **Signal word:** Danger
- **Hazard statements:**
H332 Harmful if inhaled.

(Cont'd. on page 2)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 1)

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- **Precautionary statements:**
- P260 Do not breathe mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection.
- P284 In case of inadequate ventilation wear respiratory protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Components:

101-68-8	4,4'-methylenediphenyl diisocyanate ⚠ Resp. Sens. 1, H334; STOT RE 2, H373 ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	40-60%
9016-87-9	diphenylmethanediisocyanate, isomers and homologues ⚠ Resp. Sens. 1, H334; STOT RE 2, H373 ⚠ Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	40-60%

Additional information:

- For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.
- For the wording of the listed Hazard Statements refer to section 16.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 2)

4 First-aid measures

Description of first aid measures

After inhalation:

Supply fresh air and to be sure to call for a doctor.
 Provide oxygen treatment if affected person has difficulty breathing.
 In case of irregular breathing or respiratory arrest provide artificial respiration.
 In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Immediately remove any clothing soiled by the product.
 Immediately wash with water and soap and rinse thoroughly.
 If skin irritation continues, consult a doctor.

After eye contact:

Immediately remove contact lenses if possible.
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Asthma attacks
 Breathing difficulty
 Coughing
 Dizziness
 Allergic reactions
 May cause respiratory irritation.
 Irritating to eyes, respiratory system and skin.
 Gastric or intestinal disorders when ingested.

Danger:

Danger of impaired breathing.
 Harmful if inhaled.
 May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed:

Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible.
 Medical supervision for at least 48 hours.
 If necessary oxygen respiration treatment.
 Later observation for pneumonia and pulmonary edema.
 Contains 4,4'-methylenediphenyl diisocyanate, diphenylmethanediisocyanate, isomers and homologues.
 May produce an allergic reaction.
 Treat skin and mucous membrane with antihistamine and corticoid preparations.
 If medical advice is needed, have product container or label at hand.
 In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.

5 Fire-fighting measures

Extinguishing media

- Suitable extinguishing agents: Foam, dry chemical or carbon dioxide.
- For safety reasons unsuitable extinguishing agents: Water

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 3)

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.
 Reacts violently with water.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.
 Do not inhale explosion gases or combustion gases.
 Wear fully protective suit.

Additional information:

Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.
 Wear protective equipment. Keep unprotected persons away.
 Ensure adequate ventilation.
 Isolate area and prevent access.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling:

Open and handle receptacle with care.
 Prevent formation of aerosols.
 Avoid splashes or spray in enclosed areas.
 Use only in well ventilated areas.
 Keep out of reach of children.

Information about protection against explosions and fires:

Keep respiratory protective device available.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.
 Protect from humidity and water.

Information about storage in one common storage facility:

Store away from foodstuffs.
 Store away from oxidizers, strong acids, strong bases.

(Cont'd. on page 5)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 4)

- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed receptacles.
Keep containers tightly sealed.
Storage Temperatures : 68-86 °F / 20-30 °C.
- **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

101-68-8 4,4'-methylenediphenyl diisocyanate

PEL (USA)	Ceiling limit value: 0.2 mg/m ³ , 0.02 ppm
REL (USA)	Long-term value: 0.05 mg/m ³ , 0.005 ppm Ceiling limit value: 0.2* mg/m ³ , 0.02* ppm *10-min
TLV (USA)	Long-term value: 0.051 mg/m ³ , 0.005 ppm
EL (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.01 ppm Skin: S
EV (Canada)	Long-term value: 0.005 ppm Ceiling limit value: 0.02 ppm
LMPE (Mexico)	Long-term value: 0.005 ppm

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes and skin.
- **Engineering controls:** Provide adequate ventilation.
- **Breathing equipment:**



Combined Organic Vapor and Particulate Respirator is recommended for use during all processing activities.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Cont'd. on page 6)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 5)

- **Eye protection:**



Safety glasses

- Follow relevant national guidelines concerning the use of protective eyewear.
- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**
No relevant information available.

9 Physical and chemical properties

Information on basic physical and chemical properties

· Appearance:	
· Form:	Liquid
· Color:	Clear, pale yellow
· Odor:	Slight musty
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	>300 °C (>572 °F) (decomposes)
· Flash point:	>110 °C (>230 °F) (Closed Cup - Setaflash)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	>600 °C (>1112 °F)
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
· Lower:	Not determined.
· Upper:	Not determined.
· Oxidizing properties:	Not determined.
· Vapor pressure:	Not determined.
· Density:	
· Relative density:	1.2
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
· Dynamic:	Not determined.
· Kinematic:	Not determined.

(Cont'd. on page 7)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 6)

Other information No relevant information available.

10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
Danger of polymerization.
Contact with water releases toxic gases.
Reacts with alcohols, amines, aqueous acids and alkalis.
Reacts with strong oxidizing agents.
Exothermic reaction.
- **Conditions to avoid**
Excessive heat.
Moisture.
- **Incompatible materials**
Water
Oxidizers, strong bases, strong acids
- **Hazardous decomposition products**
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Hydrocarbons
Hydrogen cyanide (prussic acid)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral | LD50 | 2200 mg/kg (mouse)

- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Irritating effect.
- **Sensitization:** May cause sensitisation by inhalation and skin contact.

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Cont'd. on page 8)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 7)

- **Probable route(s) of exposure:**
Ingestion.
Inhalation.
Eye contact.
Skin contact.
- **Acute effects (acute toxicity, irritation and corrosivity):**
May cause sensitisation by inhalation and skin contact.
Harmful if inhaled.
Irritating to eyes, respiratory system and skin.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** May cause respiratory irritation.
- **STOT-repeated exposure:** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

(Cont'd. on page 9)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 8)

- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
· DOT, ADR, IMDG, IATA Not regulated.
- **UN proper shipping name**
· DOT, ADR, IMDG, IATA Not regulated.
- **Transport hazard class(es)**
· DOT, ADR, IMDG, IATA
· Class Not regulated.
- **Packing group**
· DOT, ADR, IMDG, IATA Not regulated.
- **Environmental hazards**
· Marine pollutant: No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

All ingredients are listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)
Chemicals known to cause cancer:

None of the ingredients are listed.

(Cont'd. on page 10)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

(Cont'd. of page 9)

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenic categories
EPA (Environmental Protection Agency):

101-68-8	4,4'-methylenediphenyl diisocyanate	D, CBD
9016-87-9	diphenylmethanediisocyanate, isomeres and homologues	CBD

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

Canadian Domestic Substances List (DSL):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision May 02, 2017 / August 14, 2024

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bio-accumulable, Toxique

vPvB: very Persistent and very Bioaccumulative

NIOSH: l'Institut national de recherche sur la sécurité et la santé au travail / National Institute for Occupational Safety (États-Unis)

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Resp. Sens. 1: Respiratory sensitisation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaassen, Curtis D., ed., ISBN:

(Cont'd. on page 11)



Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Printing date: August 14, 2024

Revision: August 14, 2024

Trade name: Spal Pro RS-65 Part B ISO

978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers

(Cont'd. of page 10)

SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
Website: www.chemtelinc.com