



METZGER/McGUIRE

EQUIPMENT & ACCESSORIES GUIDE



★ STELLITE ★

JOINT FILLER/JOINT SEALANT REMOVAL BLADE

Removal of existing joint fillers and sealants can be a messy and time-consuming process. Diamond blades build up too much heat and can melt the filler/sealant. Carbide tip blades can work, but they don't stay sharp long and require frequent replacement. Stellite® tipped cutting blades solve both heating and wear issues and a single blade can rip through thousands of feet of filler/sealant with ease.

Stellite® is a cobalt-chromium "super alloy" with a matrix designed to provide high wear resistance with an extremely high melting point - making them an ideal choice for extreme cutting applications. Each specially shaped Stellite® removal blade contains six thermally stable Stellite® cutter tips. These tips effortlessly slice through hard or soft fillers/sealants without melting the product. Once you try a Stellite® blade for filler/sealer removal, we're confident you'll never go back to another blade again!

Advantages:

- Effectively removes soft and semi-rigid materials without melting the material, including polyureas!
- High Pressure, High Temperature (HPHT) Solid Stellite® Cutting bits.
- Cutting bits maintain their sharpness to slice through soft or hard semi rigid fillers and sealants.
- HPHT Cutters help blade from dragging, thus minimizing friction heat.
- Stellite® Cutters hardened nature helps ensure long blade life.
- Ideal for use with walk-behind joint-cutting/clean-out saws. Saws with lower rpm's will help further reduce heating blade and filler.



GorillaConcreteTools



Diam.	Width	Arbor Size	Compatible Saws
7"	.125	Universal or 5/8"-7/8"	US Saws Dust Buggy, Gorilla GCT-10, Perfect Trac
7"	.187	Universal or 5/8"-7/8"	US Saws Dust Buggy, Gorilla GCT-10, Perfect Trac
8"	.125	5/8"-7/8"	US Saws Dust Buggy, Gorilla GCT-10
8"	.187	5/8"-7/8"	US Saws Dust Buggy, Gorilla GCT-10

Distributed by



800-223-6680

P.O. Box 2217 Concord, NH 03302

E-mail: info@metzgermcguire.com


BLADES & BRUSHES

DIAMOND U BLADE



.25" x 5" Blade
.375" x 5" Blade

JOINT CLEANING/PREP DIAMOND BLADE




7" Blade
8" Blade
10" Blade

STELLITE JOINT FILLER REMOVAL BLADE



7" x .125 Blade
7" x .187 Blade
8" x .125 Blade
8" x .187 Blade

JUSTCUT TURBO U BLADE



4.5" Blade
7" Blade
8" Blade

TIGER TOOTH BLADE



4.5" Blade
7" Blade
8" Blade

4.5" ZEC HEAVY ABRASIVE PAD



16 grit
24 grit
36 grit

NYALOX CUP BRUSH



2.5 Cup

NYALOX WHEEL



3" Wheel
4" Wheel

NYALOX END BRUSH



.75" Brush

FINISHING PADS



Blue (coarse)
Orange (extra coarse)

TELESCOPING FLOOR RAZOR SCRAPER



8" Scraper
Scraper Blades
(pack of 10)

Distributed By

 **METZGER/McGUIRE**

info@metzgermcguire.com

CARTRIDGE GUNS



ALBION 250ML SINGLE CARTRIDGE GUN
FOR USE WITH RAPID REFLOOR 250 ML CARTRIDGES



ALBION T1500 DUAL CARTRIDGE GUN
FOR USE WITH SPAL-PRO RSF OR
RAPID REFLOOR PIT GROUT 1500 ML CARTRIDGES



**ALBION B12B30 B-LINE MANUAL BULK
CAULKING GUN 30 OZ**
FOR HAND APPLYING MM-80



ALBION T900 DUAL CARTRIDGE GUN
FOR USE WITH SPAL-PRO 2000 900 ML CARTRIDGES



**ALBION B26T600X2
CARTRIDGE GUN**
FOR USE WITH SPAL-PRO 2000 450 ML CARTRIDGES



ALBION T600 DUAL CARTRIDGE GUN
FOR USE WITH SPAL-PRO RS88,
EDGE-PRO 80, RAPID REFLOOR, & RS65
600 ML CARTRIDGES

Distributed By



info@metzgermcguire.com

1-800-223-6680

STATIC MIXERS & LOCK NUTS




**STATIC MIXER FOR
RAPID REFLOOR 250 ML
1/4"X32 ELEMENT**



**STATIC MIXER FOR
SPAL-PRO 2000 450 ML
8.7"X24 ELEMENT**




**STATIC MIXER FOR
EDGE-PRO 80 600 ML
OR EDGE-PRO 90 600 ML
3/8"X24 ELEMENT**




**STATIC MIXER FOR
RAPID REFLOOR 600 ML
10.7 MMX24 ELEMENT**



**STATIC MIXER FOR
SPAL-PRO 2000 900 ML
1/2"X24 ELEMENT**



**STATIC MIXER FOR
RS-88 & RS-65 600 ML
3/8"X32 ELEMENT**



**STATIC MIXER FOR
DUAL-COMPONENT
PUMPS OR 1500 ML
CARTRIDGES
1/2"X30/32 ELEMENT**



JOINT WEASEL



LOCK NUT CLEAR



LOCK NUT SQUARE



LOCK NUT BLACK



LOCK NUT BLACK PLUG



LOCK NUT RED ALUMINUM

CARTRIDGE/MIXER MATCHES FOR



RAPID REFLOOR 250 ML
Static mixer:
1/4" x 32 element static mixer
Flow Restrictor Cap



RAPID REFLOOR 600 ML
Static mixer:
10.7 mm x 24 element square static mixer



EDGE-PRO 80 600 ML & EDGE-PRO 90 600 ML
Static mixer:
3/8" x 24 element static mixer



SPAL-PRO RS-65 600 ML & SPAL-PRO RS-88 600 ML
Static mixer:
3/8" x 32 element static mixer

METZGER/MCGUIRE PRODUCTS



SPAL-PRO 2000 450 ML

Static mixer:
8.7 mm x 24 element static mixer



SPAL-PRO 2000 900 ML

Static mixer:
1/2" x 24 element static mixer



PIT GROUT 1500 ML, SPAL-PRO STABILIZER EXP 1500 ML & SPAL-PRO RSF 1500 ML

Static mixer:
1/2" x 30 or 32 element static mixer



U.S.SAWS

Surface Preparation

**5" HAND HELD
CRACK CHASER
(13.5 AMP)**



5" PREMIUM GRINDER



7" PREMIUM GRINDER



**MC-60
CONCRETE
MILLING MACHINE**



**JS-131
GAS WALK BEHIND
JOINT CLEAN-OUT
SAW**



**JS-160
PROPANE JOINT
CLEAN-OUT SAW**



**MC-800
PROPANE "JOINT
HOG" MILLING
MACHINE**



**MARK-III
JOINT CLEAN-OUT
SAW**



**CC-100
WALK BEHIND
CRACK CHASER**



GorillaConcreteTools



**GCT-10 TANK
DUSTLESS ELECTRIC
JOINT SAW**



**GCT-8 SERIES II
JOINT SAW WITH DUST
CONTROL**



**GCT-6
JOINT MILLING
SAW**



**GCT-X SERIES
DUSTLESS
COMBUSTION SAW**



**SG-8
DUSTLESS ELECTRIC
SURFACE GRINDER**



**CC-6
ELECTRIC
CRACK CHASER**



**ST-80
SELF-PROPELLED
JOINT SHAVER**

Distributed By

 **METZGER/McGUIRE**

mminfo@metzgermcguire.com



New & Improved!

PERFECT TRAC

CONCRETE JOINT CUTTING AND CLEANING SAW

Features:

- ★ Cutting depth up to 2^{1/8} inches
- ★ Improved dust collection manifold
 - Solid aluminum construction
 - Four-way adjustable handle
 - Self-adjusting safety guard
 - Low center of gravity (weighs 60 lbs)

Ideal For:

- Cutting new joints in concrete
- Concrete joint cleaning
- Epoxy and polyurea filler removal

*Blade not included



The *Perfect Trac* is a revolutionary saw for cutting and cleaning joints in concrete. Its low center of gravity and weight driven design allows for less vibration, cleaner, straighter cuts and reduced joint edge chipping during typical sawing operations.

Perfect Trac's solid aluminum design provides unequalled durability in a lightweight form, allowing for easier transport and maneuvering than most other saws.

Call today and find out why *Perfect Trac* is changing the way contractors cut and clean joints!

Distributed by


 **METZGER/McGUIRE**

800-223-6680

P.O. Box 2217

Concord, NH 03302

E-mail: info@metzgermcguire.com



Optional
rear
dust port

PUMPS

U.S. SAWS *Surface Preparation*

US SAWS ONE MAN
POLYMER PUMP



GorillaConcreteTools



GP-2: SLIM-LINE DUAL
COMPONENT PUMP



GP-3 MINI-PRO DUAL
COMPONENT PUMP




Distributed By
 **METZGER/McGUIRE**
mminfo@metzgermcguire.com



METZGER/McGUIRE

INDUSTRY STANDARD INDUSTRIAL FLOOR JOINT FILLERS AND REPAIR PRODUCTS

TECHNICAL SUPPORT TEAM



Jeromy Craig
Portland, OR
Tel: 503-703-9686
E-Mail: jeromy@metzgermcguire.com

Matt Rizzo
Medford, OR
Tel: 541-301-3943
E-Mail: matt@metzgermcguire.com

Dick Risch
St. Peters, MO
Tel: 314-651-8301
E-Mail: concrprisch@aol.com

Lance Drabczyk
Rolla, MO
Tel: 573-308-0643
E-Mail: lance@metzgermcguire.com

Dave Sharamitaro
Hilliard, OH
Tel: 614-440-0599
E-Mail: dave@metzgermcguire.com

Mike Tuccelli
Clayton, NC
Tel: 919-909-8280
E-Mail: mike@metzgermcguire.com

Jim Marchillo
Concord, NH
Tel: 603-496-5512
E-Mail: jim@metzgermcguire.com

Nationwide:

Pat Smith
Concord, NH
Tel: 603-568-1595
E-Mail: pat@metzgermcguire.com

Scott Metzger
Concord, NH
Tel: 603-731-8393
E-Mail: scottmetzger@metzgermcguire.com

800-223-6680

www.metzgermcguire.com

**P.O. Box 2217
Concord, NH 03302**

**Fax: 603.224.6020
Email: info@metzgermcguire.com**